



DMR ASSOCIATION INTEROPERABILITY TEST SUMMARY

DMR Tier II Interoperability Test Report

DMR ASSOCIATION

Document Name: *DMR_Association_Generic_TIER_II_Hytera_MS-and-Kenwood Repeater_Test_Summary_8th_June_V1.01*
 Dates of Report : June, 8th 2015
 DMR Association Test Laboratory Code: DMRA: IOP20:03:012
 DMRAssociation_TIER_II_Interoperability_Test_Laboratory Location: Hytera Tower, Shenzhen Hi-Tech Industrial Park North, Beihuan Road 9108#, Nanshan District, Shenzhen P.R.C.
 Date(s) of Test : November, 18th 2014

Equipment Details:

Manufacturer A DMR Equipment System Tested	
Manufacturer	JVC Kenwood
Model	Base Station:TKR-D810
Firmware	Base Station:V1.01.02
Operating Freq. Range	400-470MHz
Serial Number(s)	Base Station:B4500004

Manufacturer B DMR Equipment System Tested	
Manufacturer	Hytera Communications Corporation Limited
Model	PD788G
Firmware	A6.05.07.006
Operating Freq. Range	400-470MHz
Serial Number(s)	A16A2Z1125, A16A2Z1128, A16A2Z1121, A16A2Z1123

Testers Initials: YS

Approver Initials: G. J. Z

张曼哲
 杨凯金



DMR ASSOCIATION INTEROPERABILITY TEST SUMMARY

DMR Tier II Interoperability Test Report

DMR ASSOCIATION

Test Sessions Verdicts

[1] Interoperability Testing For DMR Tier 2 Systems – Mandatory V1.0.3

Test Session	Feature	Feature's Status	Verdict	Comments
2.3 - Group Call	Group Call in repeater mode	M	PASS	Tested the following functionalities: Repeater mode: Channel Access, BS Activation, Voice Repeating, Call Hangtime, Late Entry.
2.4 - Individual Call – PATCS	Individual PATCS Call in repeater mode	M	PASS	Tested the following functionalities: Repeater mode: Channel Access, BS Activation, Voice Repeating, Call Hangtime, Late Entry.
2.5 - Individual Call – OACSU	Individual OACSU Call in repeater mode	M	PASS	Tested the following functionalities: Repeater mode: Channel Access, BS Activation, Voice Repeating, Call Hangtime, Late Entry.
2.6 - All Call	All Call in repeater mode	M	PASS	Tested the following functionalities: Repeater mode: Channel Access, BS Activation, Voice Repeating, Late Entry.

Testers Initials: YS

张歆茹

李月燕

Approver Initials: g.1.2



DMR ASSOCIATION INTEROPERABILITY TEST SUMMARY

DMR Tier II Interoperability Test Report

DMR ASSOCIATION

[2] Interoperability Testing For DMR Tier 2 Systems – Optional V1.0.3

Test Session	Feature	Feature's Status	Verdict	Comments
2.3 – Radio Check	Radio Check in repeater mode	O	PASS	Tested the following functionalities: Repeater mode: Channel Access, BS Activation, Radio Check initiation and response.
2.4 - Call Alert	Call Alert in repeater mode	O	PASS	Tested the following functionalities: Repeater mode: Channel Access, BS Activation, Call Alert initiation and response.
2.5 - Radio Disable/Enable	Radio Disable/Enable in repeater mode	O	PASS	Tested the following functionalities: Repeater mode: Channel Access, BS Activation, Radio Disabling, Re-enabling the disabled radio.
2.6 - Remote Monitor	Remote Monitor in repeater mode	O	PASS	Tested the following functionalities: Repeater mode: Channel Access, BS Activation, Remote Monitor, Voice Repeating from a radio being monitored.
2.7 - Emergency Alarm	Emergency Alarm in repeater mode	O	PASS	Tested the following functionalities: Repeater mode: Channel Access, BS Activation, Emergency Alarm initiation and response.
2.8 - Emergency Call	Emergency Call in repeater mode	O	PASS	Tested the following functionalities: Repeater mode: Channel Access, BS Activation, Emergency voice repeating, Group voice repeating, Late Entry.

Date of report issue: June, 8th 2015

Testers Initials: VS

Approver Initials: S.T.S

张颖超
李颖超